

FOI 1171

Ken Foxxe, Right to Know

Record No. 9

John Mockler

From: John J Kelly <johnj.kelly@opw.ie>
Sent: Sunday 31 January 2021 18:17
To: Paul Browne
Cc: John Mockler; Francis Quine; Shane Keighrey; Alan Higgins; TJ McHale; Shane Flaherty
Subject: RE: 8" Pump Delivery to Lough Funshinagh

Evening Paul,

Thanks for your mail with the responses below and the lifting plan. The OPW staff will have their Safe Pass and CSCS cards with them tomorrow.

TJ McHale will be completing the familiarisation on the pump tomorrow and he will bring the relevant pump documentation.

The OPW drivers (1 x lowloader unit and 1 x 18t rigid truck) will have your contact number and you can guide them into the site.

Regards,

John

John J Kelly
Mechanical Engineering Field Services

Oifig na nOibreacha Poiblí
Office of Public Works

An tSráid Mhór, Áth Cinn, Co na Gaillimhe, H91 RX79
Main Street, Headford, Co Galway, H91 RX79

M +353 87 419 2091 T +353 93 363 71
<https://gov.ie/opw>

To send me files larger than 30MB, please use the link below
<https://filetransfer.opw.ie/iledrop/johnj.kelly@opw.ie>

Email Disclaimer: <https://www.gov.ie/en/organisation-information/439daf-email-disclaimer/>

From: Paul Browne <PBrowne@roscommoncoco.ie>
Sent: Sunday 31 January 2021 15:01
To: John J Kelly <johnj.kelly@opw.ie>
Cc: John Mockler <JMockler@roscommoncoco.ie>; Francis Quine <FQuine@roscommoncoco.ie>; Shane Keighrey <Shane.Keighrey@opw.ie>; Alan Higgins <alan.higgins@opw.ie>; TJ McHale <tj.mchale@opw.ie>; Shane Flaherty <shane.flaherty@opw.ie>
Subject: RE: 8" Pump Delivery to Lough Funshinagh

Hello John,

Please see the responses below.

Please ensure the OPW staff visiting the site tomorrow have safe pass and CSCS cards as required.

Will you please provide relevant documentation for the pumps for the safety file.

Regards,
Paul Browne

From: John J Kelly [<mailto:john.j.kelly@opw.ie>]

Sent: Friday 29 January 2021 17:19

To: Paul Browne <PBrowne@roscommoncoco.ie>

Cc: John Mockler <JMockler@roscommoncoco.ie>; Francis Quine <FQuine@roscommoncoco.ie>; Shane Keighrey <Shane.Keighrey@opw.ie>; Alan Higgins <alan.higgins@opw.ie>; TJ McHale <tj.mchale@opw.ie>; Shane Flaherty <shane.flaherty@opw.ie>

Subject: RE: 8" Pump Delivery to Lough Funshinagh

Paul,

Thanks for that. As discussed we are planning to deliver 2 No. Hidrostal DN200 (8inch) pumps to Lough Funshinagh on Monday morning.

Before OPW can deliver the pumps I will need confirmation of the following:

1. Roscommon Co. Co. are the named 'Project Supervisor Construction Stage' for this site and all associated works. RCC is PSCS
2. Roscommon Co. Co. are insured for all known and applicable risks and are responsible for any damage, misuse or loss to any OPW equipment during the delivery and placement and also for OPW pumps on site. RCC is insured
3. Confirmation that Roscommon Co. Co. will complete/provide Health & Safety induction of OPW delivery Personnel before they enter the site. Yes RCC will induct OPW delivery Personnel.
4. Project Risk Assessment and Safety Plan and all associated documents in place on the site. We will need to see a copy of this. Yes the aforementioned documentation is in place.
5. Completed Lifting Plan for the lifting/placing of the pumps. 8 Inch pumps are approx. 3.5t when full of fuel. See attached
6. Lift plan must include named responsible persons for lift supervisor and slinger signaller for the lifting and placing of the OPW pumps.
7. The Roscommon Co. Co. excavator used for lifting will need to be GA1 certified and suitably rated for the lift. Please confirm SWL of the excavator. See attached
8. Confirmation that all lifting accessories are approved, certified and in date. See attached
9. Number of the staff who will receive the familiarisation training on the operation of the pump. Three
10. Confirmation that Roscommon Co. Co will assume full responsibility for the following: monitoring, safe operation, refuelling, maintenance, repair (where required) and security of the OPW 8inch pumps for the entire duration of the time on site. Yes
11. Roscommon Co. Co. will carry out the set up and installation as directed by the OPW Mechanical Foreman. RCC will carry out the set up and installation as directed by the OPW foreman.

Shane Keighrey (OPW Engineer) and Alan Higgins (OPW Foreman) will conduct a site visit tomorrow to ensure there is sufficient access for the 2 trucks which will deliver the pumps on Monday.

TJ McHale (OPW Mechanical Foreman) will be on site on Monday morning when the pumps arrive and will oversee the set up and installation of the pumps and will complete the plant familiarisation of the pumps for the relevant Roscommon Co. Co. personnel.

Thanks and best regards,

John

John J Kelly
Mechanical Engineering Field Services

Oifig na nOibreacha Poiblí
Office of Public Works

An tSráid Mhór, Áth Cinn, Co na Gaillimhe, H91 RX79
Main Street, Headford, Co Galway, H91 RX79

M +353 87 419 2091 T +353 93 363 71
<https://gov.ie/opw>

To send me files larger than 30MB, please use the link below
<https://filetransfer.opw.ie/filedrop/johnj.kelly@opw.ie>

Email Disclaimer: <https://www.gov.ie/en/organisation-information/439daf-email-disclaimer/>

From: Paul Browne <PBrowne@roscommoncoco.ie>
Sent: Friday 29 January 2021 15:52
To: John J Kelly <johnj.kelly@opw.ie>
Cc: John Mockler <JMockler@roscommoncoco.ie>; Damien Kelly <damien.kelly@opw.ie>; Francis Quine <FQuine@roscommoncoco.ie>
Subject: Re: 8" Pump Delivery to Lough Funshinagh

John,

Further to our conversation earlier we will have an excavator on site Monday morning to lift the pumps into place.

The Google map link to the delivery location is <https://goo.gl/maps/SGkAyErSwR2tAJfL6>.

You can contact either myself 0870638642 or Francie Quine 0871248468.

Regards,
Paul Browne

From: John Mockler
Sent: Friday 29 January 2021 15:02
To: Paul Browne <PBrowne@roscommoncoco.ie>
Subject: FW: 8" Pump Delivery to Lough Funshinagh

Many thanks,

John Mockler.

A/SENIOR ENGINEER

Roscommon County Council

Áras an Chontae

Church Road

Roscommon

Co. Roscommon

F42 VR98

090 66 37100

jmockler@roscommoncoco.ie

From: Shane Keighrey [<mailto:Shane.Keighrey@opw.ie>]

Sent: Friday 29 January 2021 14:39

To: John Mockler <JMockler@roscommoncoco.ie>

Cc: John J Kelly <johnj.kelly@opw.ie>; Damien Kelly <damien.kelly@opw.ie>

Subject: 8" Pump Delivery to Lough Funshinagh

Good Afternoon John,

We should be able to transport one of the 8" pumps to you later today, can you confirm the following,

1. Delivery location (Coordinates) and contact person for Engineer/Person in charge? Who will be on site for delivery?
2. Confirmation of access for the delivery vehicles – dimensions, unloading area etc?
3. Pumps will need to be craned into place-Is there adequate access?
4. Are the pump standing areas identified and suitable for the 8" pumps (Pumps are 3t+ when fully refuelled),

Regards,

Shane

Shane Keighrey

Oifig na nOibreacha Poiblí
Office of Public Works

An tSráid Mhór, Áth Cinn, Co na Gaillimhe, H91 RX79
Main Street, Headford, Co Galway, H91 RX79

M +353 87 397 7569

<https://gov.ie/opw>

To send me files larger than 30MB, please use the link below
<https://filetransfer.opw.ie/filedrop/Shane.Keighrey@opw.ie>

Email Disclaimer: <https://www.gov.ie/en/organisation-information/439daf-email-disclaimer/>

Email Disclaimer: <https://www.opw.ie/en/disclaimer/>

This message is for the named person's use only. If you received this message in error, please immediately delete it and all copies and notify the sender. You must not, directly or indirectly, use, disclose, distribute, print, or copy any part of this message if you are not the intended recipient. Any views expressed in this message are those of the individual sender and not of Roscommon County Council.

This message is for the named person's use only. If you received this message in error, please immediately delete it and all copies and notify the sender. You must not, directly or indirectly, use, disclose, distribute, print, or copy any part of this message if you are not the intended recipient. Any views expressed in this message are those of the individual sender and not of Roscommon County Council.

John Mockler

From: John J Kelly <johnj.kelly@opw.ie>
Sent: Friday 29 January 2021 17:19
To: Paul Browne
Cc: John Mockler; Francis Quine; Shane Keighrey; Alan Higgins; TJ McHale; Shane Flaherty
Subject: RE: 8" Pump Delivery to Lough Funshinagh

Paul,
Thanks for that. As discussed we are planning to deliver 2 No. Hidrostal DN200 (8inch) pumps to Lough Funshinagh on Monday morning.

Before OPW can deliver the pumps I will need confirmation of the following:

1. Roscommon Co. Co. are the named 'Project Supervisor Construction Stage' for this site and all associated works.
2. Roscommon Co. Co. are insured for all known and applicable risks and are responsible for any damage, misuse or loss to any OPW equipment during the delivery and placement and also for OPW pumps on site.
3. Confirmation that Roscommon Co. Co. will complete/provide Health & Safety induction of OPW delivery Personnel before they enter the site.
4. Project Risk Assessment and Safety Plan and all associated documents in place on the site. We will need to see a copy of this.
5. Completed Lifting Plan for the lifting/placing of the pumps. 8 inch pumps are approx. 3.5t when full of fuel.
6. Lift plan must include named responsible persons for lift supervisor and slinger signaller for the lifting and placing of the OPW pumps.
7. The Roscommon Co. Co. excavator used for lifting will need to be GA1 certified and suitably rated for the lift. Please confirm SWL of the excavator.
8. Confirmation that all lifting accessories are approved, certified and in date.
9. Number of the staff who will receive the familiarisation training on the operation of the pump.
10. Confirmation that Roscommon Co. Co will assume full responsibility for the following: monitoring, safe operation, refuelling, maintenance, repair (where required) and security of the OPW 8inch pumps for the entire duration of the time on site.
11. Roscommon Co. Co. will carry out the set up and installation as directed by the OPW Mechanical Foreman

Shane Keighrey (OPW Engineer) and Alan Higgins (OPW Foreman) will conduct a site visit tomorrow to ensure there is sufficient access for the 2 trucks which will deliver the pumps on Monday.

TJ McHale (OPW Mechanical Foreman) will be on site on Monday morning when the pumps arrive and will oversee the set up and installation of the pumps and will complete the plant familiarisation of the pumps for the relevant Roscommon Co. Co. personnel.

Thanks and best regards,

John

John J Kelly
Mechanical Engineering Field Services

Oifig na nOibreacha Poiblí
Office of Public Works

An tSráid Mhór, Áth Cinn, Co na Gaillimhe, H91 RX79
Main Street, Headford, Co Galway, H91 RX79

M +353 87 419 2091 T +353 93 363 71
<https://gov.ie/opw>

To send me files larger than 30MB, please use the link below
<https://filetransfer.opw.ie/ftedrop/johnj.kelly@opw.ie>

Email Disclaimer: **<https://www.gov.ie/en/organisation-information/439daf-email-disclaimer/>**

From: Paul Browne <PBrowne@roscommoncoco.ie>
Sent: Friday 29 January 2021 15:52
To: John J Kelly <johnj.kelly@opw.ie>
Cc: John Mockler <JMockler@roscommoncoco.ie>; Damien Kelly <damien.kelly@opw.ie>; Francis Quine <FQuine@roscommoncoco.ie>
Subject: Re: 8" Pump Delivery to Lough Funshinagh

John,

Further to our conversation earlier we will have an excavator on site Monday morning to lift the pumps into place.

The Google map link to the delivery location is **<https://goo.gl/maps/SGkAyErSwR2tAJfL6>**.

You can contact either myself 0870638642 or Francie Quine 0871248468.

Regards,
Paul Browne

From: John Mockler
Sent: Friday 29 January 2021 15:02
To: Paul Browne <PBrowne@roscommoncoco.ie>
Subject: FW: 8" Pump Delivery to Lough Funshinagh

Many thanks,

John Mockler.
A/SENIOR ENGINEER
Roscommon County Council
Áras an Chontae

Church Road
Roscommon
Co. Roscommon
F42 VR98
090 66 37100
jmockler@roscommoncoco.ie

From: Shane Keighrey [<mailto:Shane.Keighrey@opw.ie>]
Sent: Friday 29 January 2021 14:39
To: John Mockler <JMockler@roscommoncoco.ie>
Cc: John J Kelly <johnj.kelly@opw.ie>; Damien Kelly <damien.kelly@opw.ie>
Subject: 8" Pump Delivery to Lough Funshinagh

Good Afternoon John,

We should be able to transport one of the 8" pumps to you later today, can you confirm the following,

1. Delivery location (Coordinates) and contact person for Engineer/Person in charge? Who will be on site for delivery?
2. Confirmation of access for the delivery vehicles – dimensions, unloading area etc?
3. Pumps will need to be craned into place-Is there adequate access?
4. Are the pump standing areas identified and suitable for the 8" pumps (Pumps are 3t+ when fully refuelled),

Regards,

Shane

Shane Keighrey

Oifig na nOibreacha Poiblí
Office of Public Works

An tSráid Mhór, Áth Cinn, Co na Gaillimhe, H91 RX79
Main Street, Headford, Co Galway, H91 RX79

M +353 87 397 7569
<https://gov.ie/opw>

To send me files larger than 30MB, please use the link below
<https://filetransfer.opw.ie/l/ledrop/Shane.Keighrey@opw.ie>

Email Disclaimer: <https://www.gov.ie/en/organisation-information/439daf-email-disclaimer/>

Email Disclaimer: <https://www.opw.ie/en/disclaimer/>

This message is for the named person's use only. If you received this message in error, please immediately delete it and all copies and notify the sender. You must not, directly or indirectly, use, disclose, distribute, print, or copy any part of this message if you are not the intended recipient. Any views expressed in this message are those of the individual sender and not of Roscommon County Council.

John Mockler

From: Shane Keighrey <Shane.Keighrey@opw.ie>
Sent: Friday 29 January 2021 14:39
To: John Mockler
Cc: John J Kelly; Damien Kelly
Subject: 8" Pump Delivery to Lough Funshinagh

Good Afternoon John,

We should be able to transport one of the 8" pumps to you later today, can you confirm the following,

1. Delivery location (Coordinates) and contact person for Engineer/Person in charge? Who will be on site for delivery?
2. Confirmation of access for the delivery vehicles – dimensions, unloading area etc?
3. Pumps will need to be craned into place-Is there adequate access?
4. Are the pump standing areas identified and suitable for the 8" pumps (Pumps are 3t+ when fully refuelled),

Regards,

Shane

Shane Keighrey

Oifig na nOibreacha Poiblí
Office of Public Works

An tSráid Mhór, Áth Cinn, Co na Gaillimhe, H91 RX79
Main Street, Headford, Co Galway, H91 RX79

M +353 87 397 7569
<https://gov.ie/opw>

To send me files larger than 30MB, please use the link below
<https://filetransfer.opw.ie/iledrop/Shane.Keighrey@opw.ie>

Email Disclaimer: <https://www.gov.ie/en/organisation-information/439daf-email-disclaimer/>

Email Disclaimer: <https://www.opw.ie/en/disclaimer/>