





From: [Darren Arkins](#)
To: [Jim Fanning](#)
Subject: Complaint unarchived
Date: 01 June 2016 12:22:32

Hi Jim,

I assigned the quarry complaint to you which will enable you to open an investigation on Geosmart.

<https://geosmart.hsa.ie/?target=contacts&Mode=view&ContactId=103841>

Regards,
Darren

TABLE 2 Sampling wk ending May 29th

Customer	Address	Soil Sampling	Date	Air Sampling	Date	Lab Reference
	Ashford Studfarm	No	31-May	No	No	
	Kilpedder	No	31-May	Yes	AC 27/05/2016	
	Redcross	Yes	PG 27/05/2016	No		
CULLEN EXCAVATIONS LTD	New Road Kilcoole	Yes	PG 27/05/2016	Yes	Sean 27/05/2016	
HARVIESTON (service station)LTD	Newtownmountkenned	Yes	Eoin 27/05/2016	Yes	Sean 27/05/2016	
LITCHFORD LTD (entrance)	Killarney Road Bray	Yes	Teri 28/05/2016	Yes	Sean 28/05/2016	
NET PROJECT MANAGEMENT	Sea Road Kilcoole	Yes	Teri 28/05/2016	Yes	Sean 28/05/2016	
					Avril 29/05/2016	E6 (Hot tub), E7 (Stone wall end)
SANROSE LTD,	Stepaside Driving Rang	Yes	PG 27/05/2016	No		
Woods Glendale	Greystones	No		Yes	Sean 28/05/2016	
Woods Seagreen	Greystones	Yes	C 27/05/2016	Yes	John 28/05/2016	
					Avril 29/05/2016	E1 (Show house), E2 (Near residential property), E3 (Gate, LHS facing site)
Quarry		Yes	Teri 25-26/05/2016	Yes	Sean 25/05/2016	
					John 25/05/2016	

No	Customer	Address	Contacted	Method	Material	Qty	Soil Sampling	Air Sampling	Cover	Visual Inspection	Comments	Description
		Ashford Studfarm	Yes	Collected	0/6mm	19.00	No (30/5)	No	No	No	Mixed in mud under horse jumps Soil sampling planned 30/5/16	Farming
		Kilpedder	Yes	Delivered	0/500mm	161.00	No (30/5)	Yes	Yes	Yes	Site closed. Stockpiles covered (temporary). Soil sampling open area 30/5	Commercial
		Redcross	Yes	Delivered	6/14mm	20.00	Yes	No	Yes	Yes	Temporary cover	One Off House
4	CULLEN EXCAVATIONS LTD	New Road Kilcoole	Yes	Collected	0/31.5mm S T1	78.28	Yes	Yes	Yes	Yes	Revision Construction Main Contractor Temporary cover	Housing Development
5	GREGORY TARMAC SUPPLIES	Rathinew	Yes	Collected	0/14mm	20.00	No	No	Yes	Yes	Visited to confirm covered.	Unknown
		Unknown	Yes	Collected	0/14MM	20.00	No	No	Yes	No		Unknown
6	HARVESTON LTD	Newtownmountkennedy	Yes	Delivered	6/14MM	40.00	Yes	Yes	Yes	Yes	Advised it was covered	Service Station
		Unknown	No	Collection	28MM	8.36	No	No	Unknown	Unknown	Petrol Station Construction Project Temporary cover. Site closed.	Unknown
		Unknown	Yes	Delivered	SR21	104.00	Yes	Yes	Yes	Yes	Unable to make contact	Unknown
		Unknown	No	Collection	6/14MM	10.00	No	No	Unknown	Unknown	Visited and temporarily covered.	One Off House
10	LIFFEY DEV. (DUBLIN) LTD.	Newtownmountkennedy	Yes	Delivered	28MM	360.00	No	No	No	No	Unable to make contact	Unknown
11	LITCHFORD LTD	Killarney Road Bray	Yes	Delivered	75/125mm	102.30	Yes	Yes	Yes	Yes	Civil work Tower Homes Site advised that material in under ground	Housing Development
			Yes	Collected	6/14mm	3.50	Yes	Yes	Yes	Yes	100mm clean is under ground/14mm has been covered with blacktop	Housing Development
12	NET PROJECT MANAGEMENT	Sea Road Kilcoole	Yes	Delivered	0/31.5mm T1	123.76	No	Yes	Yes	Yes	Permission to sample air given 28/05/16. Air sampling on neighbouring house as well	One Off House
			Yes	Delivered	Gc80/60	78.62	No	Yes	Yes	Yes		One Off House
13	R MORRIS SITE SERVICES LTD	Blacklion Greystones	Yes	Delivered	6/14mm	199.50	No	No	Yes	Yes	Ward Group Site. Seagreen pathway and open area in houses has temporary cover	Housing Development
			Yes	Delivered	0/31.5mm T1	538.87	No	No	Yes	Yes		
			Yes	Delivered	40/80mm	18.50	No	No	Yes	Yes		
14	ROBECCO CONSTRUCTION LTD	Marlyon Hall Wicklow Town	Yes	Delivered	sr21	85.00	No	No	Yes	Yes	stone has been covered with blacktop/concrete	Housing Development
15	ROBERT DOYLE ECO BUILD LTD	21 Dalkey Avenue	Yes	Delivered	sr21	40.00	No	No	Yes	Yes	area is infilled with over 800 ton of agg. raft foundation poured	One Off House
16	RSS LIMITED	Britas Bay	Yes	Collected	0/14mm	35.88	No	No	Yes	Yes	Site not visited. Customer has advised aggregate is covered.	One off house
			Yes	Delivered	0/6mm	40.20	No	No	Yes	Yes		
17	SAMMON CONTRACTING IRELAND LTD	Wicklow	Yes	Delivered	2.6mm	38.30	No	No	Yes	Yes	School. HAS & DOE informed. Fill in pipe conduits & retention pond (covered in clay) School	
			Yes	Delivered	10/20mm	42.20	No	No	Yes	Yes		
18	SANROSE LTD.	Stepaside Driving Range	Yes	Collected	0/6mm dust	20.00	Yes	No	Yes	Yes	Temporary site covered by Hegarty Demolition	Driving Range
19			Yes	Collected	4/10mm	8.80	No	No	Yes	Yes	Advised by customer aggregated is covered.	One Off House
20	WARD DEVELOPEMENTS LTD	Seagreen, Greystones	Yes	Delivered	0/31.5mm T1	381.64	Yes	Yes	Yes	Yes	Ward Group Site (Seagreen pathway and open area in houses has temporary cover)	Housing Development
			Yes	Delivered	0/6mm	21.10	Yes	Yes	Yes	Yes		
			Yes	Delivered	40/80mm	80.08	Yes	Yes	Yes	Yes	Glendale was covered in fill and Visqueen added.	Housing Development
		Glendale	Yes	Delivered	0/31.5 T1	40.50	Yes	Yes	Yes	Yes		
						2,739.39						
							* (Temporary Cover)					

From: [Jim Fanning](#)
To: [Darren Arkins](#)
Subject: Ballinclare Quarry Inv
Date: 31 May 2016 14:54:00
Attachments: [SamplingWk29thMay.Kilsaran.30.05.16.pdf](#)
[ExtSites.Kilsaran.30.5.16.pdf](#)

Darren

Copies of documents received yesterday from Kilsaran attached

Jim

TABLE 2 Sampling wk ending May 29th

Customer	Address	Soil Sampling	Date	Air Sampling	Date	Lab Reference
	Ashford Studfarm	No	31-May	No	No	
BROMLEY BUS PK DEV	Kilpedder	No	31-May	Yes	AC 27/05/2016	
	Redcross	Yes	PG 27/05/2016	No		
CULLEN EXCAVATIONS LTD	New Road Kilcoole	Yes	PG 27/05/2016	Yes	27/05/2016	
HARVIESTON (service station)LTD	Newtownmountkenned	Yes	Eoin 27/05/2016	Yes	27/05/2016	
LITCHFORD LTD (entrance)	Killarney Road Bray	Yes	Teri 28/05/2016	Yes	28/05/2016	
NET PROJECT MANAGEMENT	Sea Road Kilcoole	Yes	Teri 28/05/2016	Yes	28/05/2016	
					29/05/2016	E6 (Hot tub), E7 (Stone wall end)
SANROSE LTD,	Stepaside Driving Rang	Yes	PG 27/05/2016	No		
Woods Glendale	Greystones	No		Yes	28/05/2016	
Woods Seagreen	Greystones	Yes	C 27/05/2016	Yes	28/05/2016	
					29/05/2016	E1 (Show house), E2 (Near residential property), E3 (Gate, LHS facing site)
Quarry		Yes	Teri 25-26/05/2016	Yes	25/05/2016	
					25/05/2016	

No	Customer	Address	Contacted	Method	Material	Qty	Soil Sampling	Air Sampling	Cover	Visual Inspection	Comments	Description
1	[REDACTED]	[REDACTED]	Yes	Collected	0/6mm	19.00	No (30/5)	No	No	No	Mixed in mud under horse jumps Soil sampling planned 30/5/16	Farming
2	BROMLEY BUS PK DEV	Kilpedder	Yes	Delivered	0/500mm	161.00	No (30/5)	Yes	Yes	Yes	Site closed. Stockpiles covered (temporary). Soil sampling open area 30/5	Commercial
3	[REDACTED]	[REDACTED]	Yes	Delivered	6/14mm	20.00	Yes	No	Yes	Yes	Temporary cover	One Off House
4	GULLEN EXCAVATIONS LTD	New Road Kilcoole	Yes	Collected	0/31.5mm S T1	78.28	Yes	Yes	Yes	Yes	Evision Construction Main Contractor Temporary cover	Housing Development
5	GREGORY TARMAC SUPPLIES	Rathinew	Yes	Collected	0/14mm	20.00	No	No	Yes	Yes	Visited to confirm covered.	Unknown
6	[REDACTED]	[REDACTED]	Yes	Collected	0/14MM	20.00	No	No	Yes	No	Advised it was covered.	Unknown
7	HARVESTON LTD	Newtownmountkenedy	Yes	Delivered	6/14MM	40.00	Yes	Yes	Yes	Yes	Petrol Station Construction Project Temporary cover. Site closed.	Service Station
8	[REDACTED]	[REDACTED]	No	Collection	28MM	8.36	No	No	Unknown	Unknown	Unable to make contact	Unknown
9	[REDACTED]	[REDACTED]	Yes	Delivered	SR21	104.00	Yes	Yes	Yes	Yes	Visited and temporarily covered.	One Off House
10	LIFFEY DEV (DUBLIN) LTD.	Newtownmountkenedy	No	Collection	6/14MM	10.00	No	No	Unknown	Unknown	Unable to make contact	Unknown
11	LITCHFORD LTD	Killarney Road Bray	Yes	Delivered	28MM	360.00	No	No	No	No	Civil work Tower Homes Site advised that material in under groun	Housing Development
12	NET PROJECT MANAGEMENT	Sea Road Kilcoole	Yes	Delivered	75/125mm	102.30	Yes	Yes	Yes	Yes	100mm clean is under ground/14mm has been covered with blacktop	Housing Development
13	R MORRIS SITE SERVICES LTD	Blacklion Greystones	Yes	Delivered	6/14mm	3.50	Yes	Yes	Yes	Yes	Permission to sample air given 28/05/16. Air sampling on neighbouring house as well	One Off House
14	ROBECO CONSTRUCTION LTD	Marlyon Hall Wicklow Town	Yes	Delivered	0/31.5mm T1	123.76	No	Yes	Yes	Yes	Ward Group Site. Seagreen pathway and open area in houses has temporary cover	Housing Development
15	ROBERT DOYLE ECO BUILD LTD	21 Dalkey Avenue	Yes	Delivered	Gc80/60	78.62	No	Yes	Yes	Yes	stone has been covered with blacktop/concrete	Housing Development
16	RSS LIMITED	Britas Bay	Yes	Delivered	0/31.5mm T1	538.87	No	No	Yes	Yes	area is infilled with over 800 ton of agg. raft foundation poured	One Off House
17	SAMMON CONTRACTING IRELAND LTD	Wicklow	Yes	Delivered	40/80mm	18.50	No	No	Yes	Yes	Site not visited. Customer has advised aggregate is covered.	One off house
18	SANROSE LTD,	Stepaside Driving Range	Yes	Delivered	sr21	85.00	No	No	Yes	Yes	School. HAS & DOE informed. Fill in pipe conduits & retention pond (covered in clay) School	School
19	[REDACTED]	[REDACTED]	Yes	Delivered	2.6mm	38.30	No	No	Yes	Yes	Temporary site covered by Hegarty Demolition	Driving Range
20	WARD DEVELOPEMENTS LTD	Seagreen, Greystones	Yes	Delivered	10/20mm	42.20	No	No	Yes	Yes	Advised by customer aggregated is covered.	One Off House
		Glendale	Yes	Delivered	0/6mm dust	20.00	Yes	No	Yes	Yes	Ward Group Site (Seagreen pathway and open area in houses has temporary cover). Glendale was covered in fill and Visqueen added.	Housing Development
			Yes	Delivered	4/10mm	8.80	No	No	Yes	Yes		
			Yes	Delivered	0/31.5mm T1	381.64	Yes	Yes	Yes	Yes		
			Yes	Delivered	0/6mm	21.10	Yes	Yes	Yes	Yes		
			Yes	Delivered	40/80mm	80.08	Yes	Yes	Yes	Yes		
			Yes	Delivered	0/31.5 T1	40.50	Yes	Yes	Yes	Yes		
						2,739.39					* (Temporary Cover)	

From: [Annette Slater](#)
To: [Darren Arkins](#)
Cc: [Jim Fanning](#)
Subject: RE: Unarchive request
Date: 31 May 2016 14:33:26

Darren & Jim

I have asked IT to reopen ID103841 for you. It will then automatically go to OHU.

Thanks

annette

Annette Slater

Higher Executive Officer, Workplace Contact Unit

Tel: (01) 7997800

Mob : (087) 6359793

Email: annette_slater@hsa.ie

Web: www.hsa.ie

Health and Safety Authority

Metropolitan Building

James Joyce Street

Dublin D01 K0Y8

Healthy, Safe and Productive Lives

Follow us at:

[HSA Twitter](#)

[HSA YouTube](#)

[HSA Facebook](#)

From: Darren Arkins
Sent: 31 May 2016 14:15
To: Annette Slater
Cc: Jim Fanning
Subject: Unarchive request

Hi Annette,

Can you unarchive this complaint please and reassign to OHU.

<https://geosmart.hsa.ie/?target=contacts&Mode=view&ContactId=103841>

Thanks,
Darren

Darren Arkins
Senior Inspector, Chemicals and Prevention Division

Tel: [01-7997858](tel:01-7997858)

Email: darren_arkins@hsa.ie

Web: www.hsa.ie

Health and Safety Authority,
5th Floor, Government Buildings,
The Glen, Waterford X91PO4E

Healthy, Safe and Productive Lives

[HSA Twitter](#)

[HSA Facebook](#)

[HSA YouTube](#)

[Subscribe to Chemicals E-bulletin](#)

From: [Darren Arkins](#)
To: [Jim Fanning](#)
Subject: Fwd: Asbestos at Ballinclare Quarry Co Wicklow
Date: 31 May 2016 14:00:25

Darren Arkins
Senior Inspector, Chemicals and Prevention Division

Tel: [01-7997858](tel:01-7997858)

Email: darren_arkins@hsa.ie

Web: www.hsa.ie

Health and Safety Authority,
5th Floor, Government Buildings,
The Glen, Waterford X91PO4E

Healthy, Safe and Productive Lives

[HSA Twitter](#)

[HSA Facebook](#)

[HSA YouTube](#)

[Subscribe to Chemicals E-bulletin](#)

Begin forwarded message:

From: Mark Ryan <mark_ryan@hsa.ie>
Date: 31 May 2016 at 09:37:52 IST
To: Darren Arkins <darren_arkins@hsa.ie>
Subject: **Re: Asbestos at Ballinclare Quarry Co Wicklow**

Thanks Darren, I have had no contact in this yet but there is potential for this to go big

Sent from my iPhone

On 31 May 2016, at 09:26, Darren Arkins <darren_arkins@hsa.ie> wrote:

Mark. Info below will be of interest to you.

Darren Arkins
Senior Inspector, Chemicals and Prevention Division

Tel: [01-7997858](tel:01-7997858)

Email: darren_arkins@hsa.ie

Web: www.hsa.ie

Health and Safety Authority,
5th Floor, Government Buildings,
The Glen, Waterford X91PO4E

Healthy, Safe and Productive Lives

[HSA Twitter](#)

[HSA Facebook](#)

[HSA YouTube](#)

[Subscribe to Chemicals E-bulletin](#)

Begin forwarded message:

From: [REDACTED]
Date: 31 May 2016 at 09:22:44 IST
To: Darren Arkins <darren_arkins@hsa.ie>
Cc: Helena Murray <Helena.Murray@hse.ie>, Patricia McDonald <Patricia.McDonald@hse.ie>
Subject: **Re: Asbestos at Ballinclare Quarry Co Wicklow**

Thanks Darren, we will keep in touch once we have has a look at this.

Regards

[REDACTED]

On 31 May 2016, at 09:02, "Darren Arkins" <darren_arkins@hsa.ie> wrote:

Dear [REDACTED]

Thanks for taking my phonecall yesterday.

The H.S.A attended site at the above Quarry operated by Kilsaran yesterday. We understand that an asbestos (actinolite amphibole asbestos fibre) seam was inadvertently disturbed during a rock blast on the 28th April last and subsequent to this

a certain amount of the blast material underwent processing and was sold on to number of sites around the Wicklow area where it was either consumed in the construction activities e.g. footpaths or remains on site in its original state. Kilsaran via their appointed consultants and remediation contractors have attended all affected sites and carried out containment work until a full remediation plan can be developed. The H.S.A visited two of the affected sites yesterday to verify the containment standards and would be satisfied that the risk is being currently managed.

There may be public health concerns raised as a result of the awareness raising and actions taken at each of the sites taken to date hence the reason for my call yesterday as I note HSE have been involved in previous asbestos related incidents e.g. ClareCoCo asbestos water pipes . EPA informed and Wicklow County Council are engaging with the site presently.

██████████ has been appointed by Kilsaran to provide occupational health advice.

My number is ██████████ if you have any queries.

Regards,
Darren

Darren Arkins
Senior Inspector, Chemicals and Prevention
Division

Tel: [01-7997858](tel:01-7997858)

Email: darren_arkins@hsa.ie

Web: www.hsa.ie

Health and Safety Authority,
5th Floor, Government Buildings,
The Glen, Waterford X91PO4E

Healthy, Safe and Productive Lives

[HSA Twitter](#)

[HSA Facebook](#)

[HSA YouTube](#)

[Subscribe to Chemicals E-bulletin](#)

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager.

The Health and Safety Authority, its servants or agents, accept no liability for any errors or omissions in the information provided in this correspondence or for any loss or damage occasioned to any person as a result of using the information provided.

This footnote also confirms that this email message has been swept for the presence of computer viruses.

.....

When we go through tough time, little things like talking about our problems, getting regular exercise, drinking less alcohol and being involved in activities we enjoy can make a big difference to how we feel. Find the little things that work for you at yourmentalhealth.ie

"Tá an fhaisnéis sa ríomhphost seo (ceangaltáin san áireamh) faoi rún. Baineann sé leis an té ar seoladh chuige amháin agus tá sé ar intinn go bhfaighfidh siadsan amháin é agus gurb iadsan amháin a dhéanfaidh breithniú air. Más rud é nach tusa an duine ar leis é, tá cosc iomlán ar aon fhaisnéis atá ann, a úsáid, a chraobhscaoileadh, a scaipeadh, a nochtadh, a fhoilsiú, ná a chóipeáil. Seains gurb iad tuairimí pearsanta an údar atá san ríomhphost agus nach tuairimí FSS iad.

From: [Jim Fanning](#)
To: [Darren Arkins](#)
Subject: FW: Call from owner of Evergreen Landscapes
Date: 31 May 2016 12:23:00
Attachments: [image002.png](#)

Darren

I have followed up on this query, and a subsequent related one with the householder involved, Kim Ross.

Jim

From: Annette Slater
Sent: 31 May 2016 10:16
To: Jim Fanning
Cc: Darren Arkins
Subject: Call from owner of Evergreen Landscapes

[Contact Details](#)

Contact Id: 103952

Contact
Type: RFI

Date
Received: 31/05/2016

Assigned
To: WCU

Severity:

Due Date: 26/07/2016

Archive
State: Open

Description: Caller got delivery from Kilsaran Quarry that was used at [REDACTED].
[REDACTED]. Wanted to inform us. Kilsaran have been out to this site

[Notifier Details](#)

Notifier Type: Employer

Confidentiality: None

Contact Method: Phone

Reply With: Phone

Forenames: [REDACTED]n

Surname: Peoples

Address 1: [REDACTED]

Address 2:

Address 3:

Address 4:

County:

Post Code:

Phone 1:



Phone 2:

-

Fax:

Email:



Classification

Category: Occupational health and hygiene

Subcategory: Asbestos

HSA Response:

<u>History ID</u>	<u>Date</u>	<u>Action</u>	<u>User</u>
323241	31/05/2016	Contact Assigned to WCU (Comment: Hi Annette call recieved this morning. Thanks Marguerite)	Marguerite Lally
323238	31/05/2016	Contact Added. Assigned to Marguerite Lally WCU (Assignment Note: -)	Marguerite Lally

Update Diary Forward Archive Assign

Annette Slater

Higher Executive Officer, Workplace Contact Unit

Tel: (01) 7997800

Mob : (087) 6359793

Email: annette_slater@hsa.ie

Web: www.hsa.ie

Health and Safety Authority

Metropolitan Building

James Joyce Street

Dublin D01 KOY8

Healthy, Safe and Productive Lives

Follow us at:

[HSA Twitter](#)

[HSA YouTube](#)

From: [Annette Slater](#)
To: [Jim Fanning](#)
Cc: [Darren Arkins](#)
Subject: [REDACTED]
Date: 31 May 2016 10:15:54
Attachments: [image001.png](#)

Contact Details

Contact Id: 103952

Contact
Type: RFI

Date
Received: 31/05/2016

Assigned
To: WCU

Severity:

Due Date: 26/07/2016

Archive
State: Open

Description: Caller got delivery from Kilsaran Quarry that was used at [REDACTED]
[REDACTED] Wanted to inform us. Kilsaran have been out to this site

Notifier Details

Notifier Type: Employer

Confidentiality: None

Contact Method: Phone

Reply With: Phone

Forenames: [REDACTED]

Surname: Peoples

Address 1: [REDACTED]

Address 2:

Address 3:

Address 4:

County:

Post Code:

Phone 1: [REDACTED]

Phone 2: -

Fax:

Email: [REDACTED]

Classification

Category: Occupational health and hygiene

Subcategory: Asbestos

HSA Response:

<u>History ID</u>	<u>Date</u>	<u>Action</u>	<u>User</u>
323241	31/05/2016	Contact Assigned to WCU (Comment: Hi Annette call recieved this morning. Thanks Marguerite)	Marguerite Lally
323238	31/05/2016	Contact Added. Assigned to Marguerite Lally WCU (Assignment Note: -)	Marguerite Lally

Update Diary Forward Archive Assign

Annette Slater

Higher Executive Officer, Workplace Contact Unit

Tel: (01) 7997800

Mob : (087) 6359793

Email: annette_slater@hsa.ie

Web: www.hsa.ie

Health and Safety Authority

Metropolitan Building

James Joyce Street

Dublin D01 K0Y8

Healthy, Safe and Productive Lives

Follow us at:

[HSA Twitter](#)

[HSA YouTube](#)

[HSA Facebook](#)

From: [REDACTED]
To: [Jim Fanning; Contact Us](#)
Subject: [REDACTED]
Date: 30 May 2016 14:51:33

Hi Jim

I was told to contact you by Kilsaran regarding situation with quarry stone delivered to our site at Newtownmountkennedy, Co. Wicklow, I would appreciate if you can call me back

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

From: [Darren Arkins](#)
To: [Jim Fanning](#)
Subject: Fwd: Quarry at Ballinaclare, Co. Wicklow
Date: 30 May 2016 14:20:38

Darren Arkins
Senior Inspector, Chemicals and Prevention Division

Tel: [01-7997858](tel:01-7997858)

Email: darren_arkins@hsa.ie

Web: www.hsa.ie

Health and Safety Authority,
5th Floor, Government Buildings,
The Glen, Waterford X91PO4E

Healthy, Safe and Productive Lives

[HSA Twitter](#)

[HSA Facebook](#)

[HSA YouTube](#)

[Subscribe to Chemicals E-bulletin](#)

Begin forwarded message:

From: Jim Holmes <jim_holmes@hsa.ie>
Date: 27 May 2016 at 17:15:32 IST
To: Darren Arkins <darren_arkins@hsa.ie>
Subject: FW: Quarry at Ballinaclare, Co. Wicklow

Sent: 27 May 2016 17:07
To: Jim Holmes
Cc: Gerry Stanley
Subject: Quarry at Ballinaclare, Co. Wicklow

Dear Jim,

Following your phone call this afternoon, the quarry at Ballinaclare extracts diorite from the "Carrigmore diorite" formation as far as I can see in GSI quarry directory and bedrock data.

Diorite is a coarse-grained igneous rock (from a molten magma originally) with a composition between a granite and a basalt.

Granite is composed of Quartz, Mica and Feldspar; Diorite has the same minerals except that it is mainly composed of Feldspar and the rest is in much smaller quantities.

I hope this will provide the information you were looking for.


In the meantime, should you require further information on this specific quarry, I copied my colleague [REDACTED], head of the Minerals Programme in GSI, [REDACTED] [REDACTED] who might be able to assist, as I'll be on leave for the next while.

And in the future, if you require similar information, you can see it on our Aggregate Potential Mapping viewer:

<http://spatial.dcenr.gov.ie/GeologicalSurvey/APM/>. Zoom to the area of the quarry, then select "pits and quarries" in APM layers.

Please note that it is in the process of being upgraded, so modification will be brought to it in the summer (just in case it doesn't work momentarily).

Kind regards



Disclaimer:

This electronic message contains information (and may contain files), which may be privileged or confidential. The information is intended to be for the sole use of the individual(s) or entity named above. If you are not the intended recipient be aware that any disclosure, copying, distribution or use of the contents of this information and or files is prohibited. If you have received this electronic message in error, please notify the sender immediately. This is also to certify that this mail has been scanned for viruses.

Tá eolas sa teachtaireacht leictreonach seo (agus b'fhéidir sa chomhaid ceangailte leis) a d'fhéadfadh bheith príobháideach nó faoi rún. Is le h-aghaidh an duine/na ndaoine nó le h-aghaidh an aonáin atá ainmnithe thuas agus le h-aghaidh an duine/na ndaoine sin amháin atá an t-eolas. Murab ionann tusa agus an té a bhfuil an teachtaireacht ceaptha dó bíodh a fhios agat nach gceadaítear nochtadh, cóipeáil, scaipeadh nó úsáid an eolais agus/nó an chomhaid seo. Más trí earráid a fuair tú an teachtaireacht leictreonach seo cuir, más é do thoil é, an té ar sheol an teachtaireacht ar an eolas láithreach. Deimhnítear leis seo freisin nár aims odh víreas sa phost seo tar éis a scanadh.

From: [Darren Arkins](#)
To: [Jim Fanning](#)
Subject: Quarry
Date: 27 May 2016 11:02:05

Hi Jim,

I fully briefed Jim Holmes this morning - inspector for that quarry (not Paulo). He would have come to site with us Monday am but has other commitments in Galway next week.

Regards,
Darren

From: [Darren Arkins](#)
To: [REDACTED]
Cc: [Jim Fanning](#)
Subject: HSA site visit
Date: 27 May 2016 09:53:52

Hi [REDACTED]

Thanks for the phonecall yesterday and update which I have relayed to Inspector Jim Fanning.

Jim and myself are now due to visit site Monday morning, approx. 9am, to meet with Mr [REDACTED]
[REDACTED] About Safety Ltd.

It is important that the affected area of the site is left un-disturbed prior to our visit.

Kind regards,
Darren

Darren Arkins
Senior Inspector, Chemicals and Prevention Division

Tel: [01-7997858](tel:01-7997858)

Email: darren_arkins@hsa.ie

Web: www.hsa.ie

Health and Safety Authority,
5th Floor, Government Buildings,
The Glen, Waterford X91PO4E

Healthy, Safe and Productive Lives

[HSA Twitter](#)

[HSA Facebook](#)

[HSA YouTube](#)

[Subscribe to Chemicals E-bulletin](#)

From: [REDACTED]
To: [Darren Arkins](#)
Cc: [Jim Fanning](#)
Subject: RE: Ballinclare Quarry
Date: 26 May 2016 13:56:41

Darren

I will give you a call later this afternoon.

Kind Regards

[REDACTED]

From: Darren Arkins [mailto:darren_arkins@hsa.ie]
Sent: 26 May 2016 13:53
To: [REDACTED]
Cc: Jim Fanning
Subject: FW: Ballinclare Quarry
Importance: High

Hi [REDACTED]

Further to Jim's email below, I would appreciate if you could provide me with an update of any conclusions to date in connection with the suspect rock at your earliest convenience.

Jim is on leave today so apologies if you have already reverted to him directly.

Regards,
Darren

Darren Arkins
Senior Inspector, Chemicals and Prevention Division

Tel: [01-7997858](tel:01-7997858)
Email: darren_arkins@hsa.ie
Web: www.hsa.ie

Health and Safety Authority,
5th Floor, Government Buildings,
The Glen, Waterford X91PO4E

Healthy, Safe and Productive Lives

[HSA Twitter](#)

[HSA Facebook](#)

[HSA YouTube](#)

[Subscribe to Chemicals E-bulletin](#)

From: Jim Fanning
Sent: 20 May 2016 16:39
To: tom.mccarthy@kilsaran.ie
Cc: Darren Arkins
Subject: Ballinclare Quarry

Hi [REDACTED]

Further to your contact with the Authority and our telephone conversation this afternoon in relation to the “asbestos-containing rock” concerns, I said I would forward a list of independent asbestos consultants/laboratories, who may be of assistance. In fact I can forward you a link to a webpage on the Authority’s website, see [here](#), which provides a list all the laboratories participating in the relevant obligatory proficiency testing schemes. Click through either the “AIMS” or “RICE” links and then click on the ROI Laboratory Classification link on right-hand-side and you will find a list of 5 or 6 companies.

Note: AIMS refers to material analysis/testing for asbestos and RICE refers to asbestos fibre in air measurement/counting. The necessary proficiency standard for both services are achieved by 5 companies.

We hope to keep in touch as your investigations progress to a conclusion. If you have any queries, please do not hesitate to contact me.

Kind regards
Jim Fanning

James Fanning | Inspector, Occupational Hygiene
Health and Safety Authority
The Metropolitan Building, James Joyce Street, Dublin 1
Tel: 01 6147056 | Fax: 01 6147020
Email: jim_fanning@hsa.ie | Web: www.hsa.ie

A Culture of Workplace Safety and Health for All

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager.

The Health and Safety Authority, its servants or agents, accept no liability for any errors or omissions in the information provided in this correspondence or for any loss or damage occasioned to any person as a result of using the information provided.

This footnote also confirms that this email message has been swept for the presence of computer viruses.

This email has been scanned for spam and malware by The Email Laundry.

From: [Darren Arkins](#)
To: [Jim Fanning](#)
Subject: Assigned items on Geosmart yesterday
Date: 24 May 2016 09:38:00

Hi Jim,

I assigned a complaint to you yesterday and also sent on initial RFI from [REDACTED] re: asbestos at quarry so you can add your contacts to date.

Regards,
Darren

Darren Arkins
Senior Inspector, Chemicals and Prevention Division

Tel: [01-7997858](tel:01-7997858)

Email: darren_arkins@hsa.ie

Web: www.hsa.ie

Health and Safety Authority,
5th Floor, Government Buildings,
The Glen, Waterford X91PO4E

Healthy, Safe and Productive Lives

[HSA Twitter](#)

[HSA Facebook](#)

[HSA YouTube](#)

[Subscribe to Chemicals E-bulletin](#)

From: [Jim Fanning](#)
To: [REDACTED]
Cc: [Tommy O'Sullivan](#); [Darren Arkins](#)
Subject: Kilsaran Ballinclare Quarry, Co Wicklow
Date: 20 May 2016 16:42:00

[REDACTED]

Just to let you know, some concerns have been reported to us by Kilsaran management that they may have uncovered some asbestos-containing minerals in the above quarry and I understand they are taking appropriate precautionary measures. Will discuss when you're back.

Jim

James Fanning | Inspector, Occupational Hygiene
Health and Safety Authority
The Metropolitan Building, James Joyce Street, Dublin 1
Tel: 01 6147056 | Fax: 01 6147020
Email: jim_fanning@hsa.ie | Web: www.hsa.ie

A Culture of Workplace Safety and Health for All

From: [Jim Fanning](#)
To: [REDACTED]
Cc: [Darren Arkins](#)
Subject: Ballinclare Quarry
Date: 20 May 2016 16:39:00

Hi T [REDACTED]

Further to your contact with the Authority and our telephone conversation this afternoon in relation to the “asbestos-containing rock” concerns, I said I would forward a list of independent asbestos consultants/laboratories, who may be of assistance. In fact I can forward you a link to a webpage on the Authority’s website, see [here](#), which provides a list all the laboratories participating in the relevant obligatory proficiency testing schemes. Click through either the “AIMS” or “RICE” links and then click on the ROI Laboratory Classification link on right-hand-side and you will find a list of 5 or 6 companies.

Note: AIMS refers to material analysis/testing for asbestos and RICE refers to asbestos fibre in air measurement/counting. The necessary proficiency standard for both services are achieved by 5 companies.

We hope to keep in touch as your investigations progress to a conclusion. If you have any queries, please do not hesitate to contact me.

Kind regards
Jim Fanning

James Fanning | Inspector, Occupational Hygiene
Health and Safety Authority
The Metropolitan Building, James Joyce Street, Dublin 1
Tel: 01 6147056 | Fax: 01 6147020
Email: jim_fanning@hsa.ie | Web: www.hsa.ie

A Culture of Workplace Safety and Health for All

From: [Darren Arkins](#)
To: [Jim Fanning](#)
Subject: Fwd: Mr McCarthy wishes to speak with you urgently
Date: 20 May 2016 14:04:56
Attachments: [image001.png](#)

Darren Arkins
Senior Inspector, Chemicals and Prevention Division

Tel: [01-7997858](tel:01-7997858)

Email: darren_arkins@hsa.ie

Web: www.hsa.ie

Health and Safety Authority,
5th Floor, Government Buildings,
The Glen, Waterford X91PO4E

Healthy, Safe and Productive Lives

[HSA Twitter](#)

[HSA Facebook](#)

[HSA YouTube](#)

[Subscribe to Chemicals E-bulletin](#)

Begin forwarded message:

From: Annette Slater <annette_slater@hsa.ie>
Date: 20 May 2016 at 12:19:48 IST
To: Darren Arkins <darren_arkins@hsa.ie>
Subject: Mr McCarthy wishes to speak with you urgently

Contact Details

Contact Id: 103654

Contact
Type: RFI

Date
Received: 20/05/2016

Assigned
To: OccHygiene

Severity:

Due Date: 15/07/2016

Archive
State: Open

██████████ called as a means of notifying the HSA that the Kilsaran Concrete Quarry at Ballinclare in Co. Wicklow has been identified recently as having natural occurring asbestos. ██████████ wishes to speak to the Inspector dealing with this area as a matter of urgency.

Notifier Details

Notifier Type: Employer

Confidentiality: None

Contact Method: Phone

Reply With: Phone

Forenames:

Surname:

Address 1:

Address 2:

Address 3:

Address 4:

County:

Post Code:

Phone 1:

Phone 2: 0

Fax:

Email:

Classification

Category: Occupational health and hygiene

Subcategory: Asbestos

HSA Response: Notification will be referred to the HSA Inspectorate dealing with area of asbestos

History ID

<!--[if !vml]-->

≥ <!--

[endif]-->

Date

Action

User

322180	20/05/2016	Contact Assigned to OccHygiene (Comment: Darren can you call this person back pls?)	Annette Slater
322178	20/05/2016	Contact Added. Assigned to Liz Robinson WCU (Assignment Note: [REDACTED]) wishes to speak to the Inspector dealing with this area as a matter of urgency.)	Liz Robinson

Annette Slater

Higher Executive Officer, Workplace Contact Unit

Tel: (01) 7997800

Mob : (087) 6359793

Email: annette_slater@hsa.ie

Web: www.hsa.ie

Health and Safety Authority
Metropolitan Building
James Joyce Street
Dublin D01 K0Y8

Healthy, Safe and Productive Lives

Follow us at:

[HSA Twitter](#)

[HSA YouTube](#)

[HSA Facebook](#)