

A copy of this certificate is available on [www.fitzsci.ie](http://www.fitzsci.ie).

Customer supplied information appear in italics.

<b>Customer</b>	<i>WCI Ltd</i> <i>James Fox Funeral Home</i> <i>Townview</i> <i>Navan</i> <i>Co. Meath C15 K599</i>	<b>Lab Report Ref. No.</b>	<b>7143/2406008/01</b>
<b>Customer PO</b>		<b>Date of Receipt</b>	<b>14/06/2024</b>
<b>Customer Ref</b>	<i>Fox Funeral Home Navan</i>	<b>Sampled On</b>	<b>13/06/2024</b>
<b>Ref 2</b>		<b>Date Testing Commenced</b>	<b>14/06/2024</b>
<b>Ref 3</b>		<b>Received or Collected</b>	<b>By Fitz: Pick up Jai</b>
		<b>Condition on Receipt</b>	<b>Acceptable</b>
		<b>Date of Report</b>	<b>28/06/2024</b>
		<b>Sample Type</b>	<b>Effluent</b>

## CERTIFICATE OF ANALYSIS

Test Parameter	SOP	Analytical Technique	Result	Units	Acc.
BOD (Industrial Eff.)	113	Electrometry	10616	mg/L	
Cadmium (Dissolved)	177	ICPMS	0.7	ug/L	
COD (Industrial Eff.)	107	Colorimetry	16550	mg/L	INAB
Lead (Dissolved)	177	ICPMS	4.7	ug/L	
Mercury (Dissolved)	178	ICPMS	0.5	ug/L	
Nitrogen (Total) Industrial	547	TN analyser	179.10	mg/L as N	INAB
Oils, Fats & Grease (IR)	545	Infrared	305	mg/L	
pH (Industrial Eff)	110	Electrometry	9.08	pH Units	INAB
Phosphorus (Total) Industrial Eff	166	Colorimetry	1.66	mg/L as P	INAB
Solids (Total Suspended) Industrial Eff	106	Gravimetry	1614	mg/L	
Zinc (Dissolved)	177	ICPMS	224.2	ug/L	



Signed:

- Laboratory Supervisor

Date: 28/06/2024

Acc. : Accredited Parameters by ISO/IEC 17025:2017

For bacterial analysis a result of 0 means none detected in volume examined

All organic results are analysed as received and all results are corrected for dry weight at 104 C

Results shall not be reproduced, except in full, without the approval of Fitz Scientific

Results contained in this report relate only to the samples tested (P) : Presumptive Results

\*\* : The test result for this parameter may be invalid as it has exceeded the recommended holding time (BS EN ISO 5667-3:2018)

Final results will be issued without any estimated uncertainty of measurement being applied. This can be supplied on request.

Fitz Scientific maintain all customer information in the strictest confidence which is legally enforceable.

